

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013734-R2
DATE: 06/01/2017
CERTIFICATION PROGRAM: Fire
COMPANY: Seves Glass
CODE: 2322-1
REVISION DATE: 11/01/2021
EXPIRATION DATE: 06/30/2024

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| Seves Glass Block, Inc. 10576 Broadview Road Broadview Heights, OH 44147 | Series "Clarity Thickset 60" Fire-Rated Glass Block Manufacturer Specific Glass Blocks for Installation in 60 Minute Locations Max Opening: 94ft ² or 128.5" x 104.5" Glass Block Weight: 7.65 lb Glass Block Size: 8" x 8" Minimum Thickness: 4" Minimum Face Thickness: 7/16" |

| SPECIFICATION | PRODUCT RATING |
|------------------|--|
| ANSI/UL 9 | 60 Minutes With Hose Stream |

| TEST REPORT |
|--|
| Underwriters Laboratory Test Report No: R2556 02NK10299 |

Administrator's Signature:  _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122