

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013745-R2
DATE: 06/06/2017
CERTIFICATION PROGRAM: Fire
COMPANY: Seves Glass
CODE: 2322-1
REVISION DATE: 04/29/2024
EXPIRATION DATE: 06/30/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| Seves Glass Block, Inc. 10576 Broadview Road Broadview Heights, OH 44147 | Series "Nubio Thickset 90" Fire-Rated Glass Block Manufacturer Specific Glass Blocks for Installation in 90 Minute Locations Max Opening: 100ft ² or W-120" or H-120" Glass Block Weight: 6.8 lb Glass Block Size: 8" x 8" Minimum Thickness: 3.88" Minimum Face Thickness: 7/16" |

| SPECIFICATION | PRODUCT RATING |
|------------------|--|
| ANSI/UL 9 | 90 Minutes With Hose Stream |

| TEST REPORT |
|--|
| Underwriters Laboratory Test Report No: R2556 00NB21799, R2556 79NK1, R2556 91NK10106, R2556 95NK20176 |

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC-03/30/2023

