

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013782-R2
DATE: 07/12/2017
CERTIFICATION PROGRAM: Fire
COMPANY: Seves Glass
CODE: 2322-1
REVISION DATE: 04/29/2024
EXPIRATION DATE: 07/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Seves Glass Block, Inc. 10576 Broadview Road Broadview Heights, OH 44147	<p style="text-align: center;">Series "Vetropieno"</p> <p style="text-align: center;">Fire-Rated Solid Glass Block</p> <p style="text-align: center;">Manufacturer Specific Glass Blocks for Installation in 90 Minute Locations</p> <p style="text-align: center;">Max Opening: 100ft² or W-120" or H-121"</p> <p style="text-align: center;">Glass Block Size: W-9.45" x H-2.09" Minimum Thickness: 4.61"</p>

SPECIFICATION	PRODUCT RATING
NFPA 257 (2000)	90 Minutes With Hose Stream

TEST REPORT
Architectural Testing Inc. Test Report No: C9707.01-121-24

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com